



Plier Wrench

- Adjustable multi-purpose pliers
- Suitable for gripping, bending, holding, tightening and loosening Jaw type: Smooth
- Overall length: 254mm

Dual End Wedge 210mm

- extra force is required Double ended head features straight
- and curved edge providing multitude of wedging access
- deflection when prying and wedging





MATSON

Multi-Voltage Battery Charger

with Power Supply

- Variable voltage output 6/12/24V Power supply function - 12/24V
- Lithium compatible
- Fully programmable
- Simple operation, easy to read display
- Full suite of safety protections

Multipurpose Trim Pliers

- Specialty pliers for removal and repair of interior trims, door panelling trim clips to exterior guard liner clips, and wiring harness securing clips
- Ergonomic, comfort grip handle with built-in return spring improves efficiency after each compression



Trim Removal Set

- Essential tool for prying interior & exterior trims, mouldings, fasteners, clips and emblems etc.
- Heavy duty tempered steel
- Length: 224mm & 174mm



@ Bikeservice

Blind Bearing Puller Kit

- Comprehensive blind bearing puller kit designed to remove motorcycle wheel bearings of bearings in blind holes without
- Quick release split collet adaptor and slide hammer design for ease of use.
- Suitable for bearing bore diameters 8 32mm (5/16" 1 1/4")
- Dual-purpose slide hammer and knock head Expandable split collets made of high-strength material



- to slim head design and pointed jaws (anti-twist)
- Milled groove in the gripping area permits small
- parts such as nails, pins etc to be held and pulled
- Easy cutting thanks to the high leverage joint

made iii c	Jermany		-	
sut Na	Unudles	Capacit	PRICE	
art No.	Handles	Medium	Cable	PRICE
3 21 185	Plastic	3.8	13.0	\$87.95
22 105	Comfort	2.0	12.0	COE OF







WHILE **KNIPEX BONUS** LAST

- **HD Power Pack** Three piece KNIPEX pack includes
- popular pliers and cutters with comfort grip
- Cobra® Hightech Water Pump Pliers 250mm
- High Leverage Diagonal Cutter 200mm
- High Leverage Combination Pliers 200mm
- BONUS Diagonal Flush Cutter 160mm

























Multi-purpose three piece brush set comprising one brush

Cleaning Brush Set 3pc







- **Pressure Sprayers** Pump action pressure sprayer with heavy duty viton seals
- Ideal for most workshop liquids and solvents
- Adjustable nozzle from mist to direct jet spray pattern • Working Pressure: 50-70psi



Magnetic Storage Tray 150mm

- Useful storage trays with strong in-built magnet
- Attach to all metal surfaces
- Ideal for storing and holding small parts, nuts, bolts and screws neatly and securely during dismantle and reassembly



Part No.	Description	Size Range	PRICE
301155	38 steel blades and 3 brass blades	0.038 (0.0015") - 0.889mm (0.035")	\$13.95
301157	26 cranked (45°) steel blades	0.127mm-0.762mm/0.005"-0.030"	\$14.95

Pick-Up Tools Pick-Up Tool 700mm Magnetic Flexible shaft with spring loaded extendable retrieval claw function Part No: 301697 Pick Up Tool • Telescopic body for adjustable reach • Ovetrall length: 150-670mm • Head Ø: 15mm Magnet size: Ø 6mm • Claw Opening (Max.): 25mm



Part No: 301016

Inspection Mirror

Compact inspection mirror Ideal for confined spaces

Telescopic







Silicone Remover

- Professional tool to easily remove and clean cured silicone
- Suitable for all types of surfaces including glass windows, tiles, ceramic sinks etc.







 Workshop essential set of pry bars manufactured from high quality alloy steel with black phosphate finish for strength and durability with ergonomic plastic

• Length: 200, 300, 450, 600mm





- Set 6pc • For removal of broken screws, bolts or studs
- Size: 3–25mm




Support Tool

the extended position during service

Capacity: 8-15mm

Suitable for bonnets, boots or hatchback tail gate



Professional Breaker Bars

 Square drive with 180° rotating head for increased versatility Thick neck heavy duty design

Part No.	Drive Size	Overall Length	PRICE
301599	3/8″ Sq Dr	610mm (24")	\$51.95
301245	1/2" Sq Dr	610mm (24")	\$56.95
301246	3/4" Sq Dr	610mm (24")	\$64.95
301822	3/4" Sq Dr	1000mm (40")	\$114.95



Oil Seal Plug Seal 5pc

- Universal stepped design stops the loss of transmission fluid during service or repair
- Includes Ford side gear centering tool
- High quality chemical resistant plastic



10, 11, 12, 14, 16, 18, 20, 24 (TPI)



Inner Tie Rod Tool Set 8pc

 Designed for inner tie rods which are inaccessible to adjust

 Sizes include: 14, 17, 33.6 (mm) and 1 3/16", 1 1/4", 1 5/16", 1 1/16"







Universal Spanner Extender 340mm

- Minimises slippage and provides additional leverage when removing stubborn nuts and bolts
- Features 1/2" square drive adaptor for increased leverage
- Made in Germany



-1 En **Wobble Extension** Bar Set 3/8" Sq.Dr.

- 5 piece set with unique male end offer 15° of adjustment for the attachment
- Spring loaded ball bearing holds attachment securely
- Extension Lengths: 45, 75, 150, 250, 450mm





Fluid Change Syringe 200mm

- For neat, clean and accurate fluid suction and dispensing
- Suitable for engine oil, gear oil, differential oil etc
- Replacement seal kits available
- Capcity: 200ml



Air Blow Gun High Flow Safety Type 355mm

- Reliable unit for air cleaning work areas and equipment etc.
- Premium quality high impact plastic for longevity
- Inbuilt adjustable air flow control



Lever Type Rigid & Flexible Spout

- Type: Lever type with rigid & flexible spout
- Capacity: 700ml
- Spout size rigid: 175mm
- Spout size flexible: 200mm



- and screws using a drill
- Ideal kit for auto, building, engineering, plumbing and



Hydraulic Coupler 4 Jaw 1/8" BSPT

- Hydraulic coupler with 4 jaw design allows greater working angle
- Spring loaded ball check to retain pressure
- For use on hand held grease guns only
- Pressure: 42,300 kPa

electrician trades



Pump Down Stroke

- Use on 20 litre containers adaptors to suit most drum types including those with Rieke or regular openings
- · Not for use with water based and other corrosive materials













- Suitable for ignition leads, engine wiring harness, power cables, speaker and AV cables and etc.
- · Seven interchangeable crimp dies and one ratcheting crimper

Plier/Cutter Sets

Part No: TPSA03 .95

Extra Long Nose Plier Set 3pc

- Premium trade quality set features three different tip styles including straight, 45° bent and 90° bent
- Chrome molybdenum with PVC dipped handles
- High grade EVA foam tray
- Overall lengths: 280mm



Plier & Cutter Set 4pc

- Professional trade quality plier set includes combination diagonal cutter, long nose and multi-grip pliers
- Supplied in high grade EVA



Precision Oblique Cutters 135mm

- Cutting edges for cutting and twisting soft wire
- Used in fine electrical and electronics applications • Light weight tool with low friction spring return
- · Cutting Capacity: Medium hard wire up to 1.2mm





\$7 .95

Circuit Tester Digital 6-24 Volts

- Heavy duty flexible spring cord extends 700-3000mm
- 90mm probe





 Click-stop design with heavy duty cam for superior strength and durability

 Reversible thumb switch with 24 tooth ratchet head



Hand Impact Wrench 1/2" square drive suitable for

- removing harmonic balancer bolt in confined space Able to generate up to 600 FT. Lbs
- of torque with a single blow
- Overall length: 560mm

Part No: 301099



Specifically designed with precision dies to restore and repair damaged threads

- Features six interchangeable precision dies to suit a wide selection of modern vehicle fastener threads and studs
- **Hose Clamp Pliers**
 - For installation and removal of constant tension style clamps
- Flexible cable allows extra reach for difficult applications
- Locking mechanism holds clamp in position



Suitable for passenger vehicles and light commercial

Spring coil Ø (Max): 15mm (5/8")





Security Spring Hooks Safety measure used to secure tools when working at heights

Prevents injury and downtime as a result of falling tools						
Part No.	Load Capacity	Extended Length (max)	PRICE			
301907	5kg	430 - 1400	\$24.95			
301908	10kg	600 - 1500	\$32.95			





Hose Removal Pliers

- Easily remove hose from tubes or lines without damage
- Suitable for 3/16", 1/4" and 3/8" tubes
- Pointed jaws allowed access in confined space
- · Locking design secures grip
- Handle provides a non-slip grip



Hydraulic Ball Joint Puller

- Specialty tool designed for removing stubborn ball joints minimising damage to other components
- Suitable for passenger, 4wd and light commercial vehicles
- Jaw opening: 25-32mm
- Fitment range: 60-72mm



Pocket Screwdriver

• Suitable for precision applications including adjusting, loosening and tightening screws and manipulating objects

• Overall length: 116mm

Part No: 321992 \$**5**.95

Magnetic Fender Covers



 Designed to protect paint work and working area during maintenance and repairs

Conforms to the shape of the vehicle • Non-scratching PVC sponge leather and durable non-scratching vinyl

Part No.	Size mm	PRICE
301941	800 x 600	\$51.95
301942	1050 x 580	\$55.95

Wheel Bearing Lock Nut Wrench





Nut Riveter Dual Arm Kit

Sizes: 25, 50 & 75mm

• Ergonomic handles for comfort and ease of operation



Suitable for automotive, metal fabrication work, industrial and construction applications

Size range: M3, M4, M5, M6



Carbide Scraper Set 2pc • Designed to scrape and remove gasket, sealant and sticky or thick adhesive

- compound applications Suitable for various working type surfaces
- including wood, metal, concrete
- Overall length: 210mm



Universal Press Support Tool

Part No: 311021

- For safe and easy shop press work Press plate 200 x 240 x 40mm, swivel plate and adjustable anvil bolts



Check out our YouTube video for this product





Wheel Grinder Dresser

- For dressing, truing, sharpening and removing glaze from solid grinder wheels
- Cast iron handle with six dresser wheels suitable for most types of grinder wheels

HOT DEAL! HOT DEAL!



Wheel Hub Nut Tool Set 3/4" 8pc

- Suits front wheel hub fasteners on later model vehicles requiring longer sockets for hard to reach hub nuts
- Bi-Hex deep impact sockets are 120mm long with 91mm

HOT DEAL! HOT DEAL!



Universal Joint Socket Set 10pc

- Universal joint sockets for use on Torx fasteners used in modern automotive applications
- Socket set features 1/2" square drive with universal joint design, extension bar, sliding T-Handle and ratchet adaptor



Ball Joint C Frame Press Kit 10pc

- For the removal and installation of ball joints including brake anchor pins and tail shaft U joints
- Universal tool applicable for AWD, FWD $\&\, \text{RWD}$ passenger and light commercial
- for pressing or to draw bushes





- safely and without damage to the stud or bolt
- Flat round head design to allow operation in areas where working space is limited



Inner Tie Rod Tool Set

- Remove and install inner tie rod ends in confined space without removing steering rack
- Main body 500mm with knurled grip and 1/2" square drive
- Suitable for most light commercial trucks and heavy vehicles
- Sizes: 33.6mm, 1 %", 38.4mm and 42mm crowfoot





Electro-Mechanical Cutters

- Precision cutting edges for cutting and twisting soft wire
- Suitable for use in fine electrical and electronics applications
- Ideal for cutting plastic e.g. cable ties
- Jaw length: 20mm Jaw opening: 0-20mr





- Multi-application tool provides outstanding quality work
- Insulated crimping range: 0.5–6mm², 22–10 AWG
- Non-Insulated crimping range: 0.5–2.5mm and 4–6mm², 12-10/22-14 (AWG)
- Wire stripping range: 0.2-6mm², 24-10 AWG
- Auto ignition terminals: 7-8mm



Grease Injection Needle

- · For hand operated grease guns only Lubricates in very tight spaces
- such as universal joints and sealed bearings
- Comes with standard grease fitting (without ball check) and protective plastic holder
- Needle thickness: 21 gauge























T-Bevel 180mm Heavy duty design for





- Kit includes measuring blocks with hoses, reduction pipes and
- adaptors for common rail diesels including Bosch, Delphi, Denso and Siemens injectors
- Measures up to 6 injectors simultaneously

Flexible Grease Hose 300mm

in highly tear resistant polyester with zinc plated end connections

Suitable for hand operated

Part No: 322012

Exacta Post Level

flat with a click-lock every 15°

all non-magnetic surfaces

· Length: 130mm

Width: 190mm

Inbuilt adjustable elastic strap for

Clutch Aligning Tool

Includes three locating adaptors

Align clutch kits on front wheel drive vehicles

Folds closed and opens

Working pressure: 40,000 kPa Burst pressure: 95,000 kPa

grease guns only

Superior construction inner tubing is polyamide with polyurethane sheathing, reinforced diagonally

Part No: 305234



- Universal applications including Bosch PFI, Bosch 2, GM TBI, GM









Fuel Pressure Tester Kit

 Comprehensive kit suitable for testing fuel delivery pressure from 0-100psi on both mechanical and electronic fuel injection systems

 Includes assorted range of hoses, banjo bolts, hose barb fittings and unions necessary to adapt to early and later model vehicles



SALE









- Valve Lapper 200mm
- Contoured hardwood handles for comfortable grip
- Four different size neoprene cups for varying valve diameters • Resistant to grease, oil and petrol
- Sizes: 16 x 21mm and 28 x 35mm



- presence of combustion gases in the cooling system universal cone adaptor suitable for most vehicles
- Includes 250ml detector fluid







Fuel Pressure Tester Kit Multi Port

- Kit suitable for performing running, residual, rail and flow rate
- Includes adaptors, hoses and fittings to test fuel injection
- Kit includes fuel bolt with seal, single ended reusable hose end, double ended reusable hose end, GM Schrader hose, extra long drain hose, Ford Schrader hose and pressure gauge (0-150 PSI,



Cooling System Pressure Tester & Vacuum Purge Kit Master 36pc

- Comprehensive master kit for cooling system pressure testing, radiator cap pressure testing and cooling system purge and refill
- Full vehicle application list included for AUS CARPARC

Tyre Valve Remover Set 2pc • Used for the removal and installation of tyre valve cores

6.95

Radiator Back Flusher

Simply connects to standard garden hose fittings

• Size: 13mm (½"), 16mm (5%") and 19mm (34")

Flushes cooling systems and heater cores without dismantling

Wheel Wrench Universal Extension Telescopic 1/2" square drive wrench extends to 530mm (21") for extra Includes two reversble sockets Socket size: 17 & 19, 21 & 23mm

Moulded plastic handles allow for a secure grip Regular reach unit for passenger vehicles and motorcycles – Long reach unit ideal for trucks – 155mm long







- Designed to test and service a number of automotive system functions including one-man brake bleeding, vacuum testing and pressure testing fuel systems Includes various adaptors
- -30 to 60 PSI (-1 to 4bar)





Oil Pressure Tester Kit

- For diagnosing worn oil pumps, pressure switches and oil warning indicators
- Large 80mm diameter gauge with dual scale 0-140 PSI (0-10 Bar)
- Quick connect coupling fittings with various adaptors and 90° elbow adaptor
- Adaptor sizes: %" x 28 NPT, R1/8" x 27 DIN 2999, 1/8" x 18 NPT, % " x 20 UNF, $1\!\!\!/2$ " x 20 UNF, M10 x 1.0, M12 x 1.5, M14 x 1.5, M16 x 1.5, M18 x 1.5



Fuel Pressure Tester Kit

- Designed for testing the return flow pressure on common rail diesels including Bosch VDO/ Siemens and Delphi systems
- Features a transparent body to check for diesel fuel condition and air pockets



Disc Brake Measuring Caliper

- Saves time and accurately measures disc brake diameter without removing wheels
- For most passenger and light commercial vehicles
- Large knurled locking screw with
- sliding compensating adaptors
- Rang: 200-400mm
- Reach: 265mm





Brake Adjusting Tool 175mm

- Designed for adjusting brake lining on drum brakes and park brake shoes on disc brakes
- Shaped to provide maximum leverage in confined area



Brake Caliper Piston Wind Back Kit

- Pneumatic operation allows for easy
- wind back to return brake caliper piston to the resting position Includes various adaptors
- **Spanner Set** Fan Clutch 10pc
- Suitable for removing and installing viscous fan hubs, water pump pulleys and fan belt accessories on BMW, Mercedes-Benz, Ford and late model vehicles



Wheel Hanger Pin Universal

- Ideal for fitting and removing heavy SUV and 4x4 wheels including wheels with spacers
- Aligns brake disc and hub when fitting wheels
- Male: M12x1.50, M14x1.25, M14x1.50, M16x1.50
- Female: M12x1.50



Stepped cone sizes Ø 19, 29, 32, 37, 40mm





 Comprehensive all in one set of kit includes hydraulic flaring tool with dies and punches, debur tool, tube bender and cutter

- Suits: Copper, Brass, Aluminium and Mild Steel pipe
- Pipe Sizing: 3/16", 4.75mm, 5mm, 6mm, 1/4"
- Produces: DIN and SAE single and double flares



• Deep impact sockets with removable protective outer shell

- Suitable for alloy, chrome and painted wheels with long or short wheel nuts
- Colour coded for quick identification
- Size: 17mm, 19mm, 21mm



- Designed for strength and versatility
- Removable protective plastic outer shell protects against damage to alloy wheels
- Designed to suit standard, alloy and performance wheels
- Colour coded for quick reference to size
- Size: 15, 17, 19, 21, 22mm



- Deep impact sockets with removable protective outer shell • Suitable for alloy, chrome and painted wheels with long or
- short wheel nuts
- Colour coded for quick identification
- Size: 17, 19, 21, 22, 23, 24, 27mm



Colour coded 1/2" square drive includes 17, 19 & 21mm



- For the restoration of damaged threads on wheel
- studs and bolts/ bolt holes
- Suitable for most Japanese and European vehicles
- Die Size: M12 x 1.25mm, M12 x 1.5mm. M14 x 1.5mm
- Tap Size: M12 x 1.25mm (psa), M12 x 1.5mm, M12 x 1.75mm, M14



Universal Lock Nut Removal Kit Heavy Duty

- Designed for removing wheel lock nuts on most factory and aftermarket wheels without causing damage
- Conical shaped design allows sockets to fit firmly over the lock nuts

• Heavy duty construction for strength and durability • Size range from (conical socket): Ø19.4, 20.4, 21.4, 22.4, 23.4, 24.4, 25.4, 27.8, 28.8, 29.8mm

Brake Pressure Test Kit Universal 8pc

- Comprehensive kit used for testing and diagnosing hydraulic system faults such as leaks and restrictions within the hydraulics of both anti-lock and conventional braking systems
- Suitable for simultaneous testing on non-ABS systems. ABS systems, Teves systems and Bosch systems, comparative readings of proportional brake pressure for both front and rear brakes, and testing primary vs.
- Includes two 3000 PSI (200 Bar) pressure gauges





Size range: Ø 18.5 - 15.6, 19.5 - 17.6, 20.4 - 18.5, 21.6 - 19.7, 22.5 20.6, 23.6 - 21.7, 24.5 - 22.6, 25.5 - 23.6mn



• Designed for removing locking wheel nuts

- Universal master set suitable for various factory and aftermarket wheels
- Heat treated chrome vanadium steel for strength and durability



Diesel Injector **Port Cleaning Kit**

· For cleaning diesel injector ports prior to installing new injectors Removes carbon build up

Suitable for all diesel applications Includes various size brushes and adaptors





- back kit applicable for both right and left hand threaded pistons Adjustable adaptors suitable to most vehicles
- Adaptor size range: 22 37mm







- Measures brake disc and brake pad thickness including tyre tread wear
- Suitable for passenger, 4WD and light trucks
- Tyre tread depth range: 0-25mm Brake measuring range: 10-60mm

Compression Tester Kit Petrol 300psi A genuine professional mechanics petrol mpression tester supplied in heavy duty case with foam inlay Dual calibrated gauge stainless steel braided high pressure hose with adaptors Sizes: M10, M12, M14, M16



- Innovative combination of Ratchet Wrench and Extension handle to allow for 3 dynamic angles of leverage $\,$
- Universal set covers all major makes and models with serpentine belt configuration • Sizes: 8, 12, 13, 17, 18, 24mm & 5/8" sockets. 8mm, 8 x 6mm,
- 10 x 8mm hex bits. 3/8" & 1/2" Sq. Dr. adaptors





Oil Filling Hopper 1 Litre

 Handy engine oil top up funnel with six adaptor fittings to allow easy and mess free filling





• Use for diagnosing overheating issues, head

- gasket leakage, loss of coolant, heating and cooling faults
- For radiators with bayonet style filler necks and screw on cap
- expansion tank style
- Hand pump provides a maximum of 35psi of pressure Thermometer range: -50 to +150 °C / -50 to 300 °F





Oil Filter Cutting Tool



- Designed to cut open oil filters to inspect filtration element
- Essential for diagnosing engine issues and to determine internal condition
- Cutting diameter: Ø 60-140mm
- Overall Length: 280mm
- Features two roller bearings to assist with smooth rotation



HOT DEAL! HOT DEAL!



Valve Spring Compressor Set

- Enables removal and replacement of valve stem oil seals and valve springs eliminating cylinder head removal
- Designed to compress and release valve springs with cylinder head still on or removed
- Applicable for OHC and DOHC petrol or diesel engines and fits various size valve spring
- Retainer sizes: 21mm, 24mm 25mm, 28mm, 32mm, 34mm 35mm, 42mm
- WARNING: Always refer to work shop manual specifications when removing and installing camshafts



HOT DEAL! HOT DEAL!



Turbo Boost Leak Pressure Tester



Turbo Boost Leak Pressure Tester 9pc

- For diagnosing fine boost leaks in forced induction engines • Suitable for testing turbo plumbing, intercooler, turbo housing and blow off valve etc
- Size range: Ø35 90mm
- Working pressure: 25psi

NEW ADAPTORS 95-104mm Part No: 304990 **\$ 7** .95 105-114mm Part No: 304991

Boost Leak Adaptors compatible with kit 304999 Additional test and blanking adaptors for diagnosing fine boost leaks in forced induction engines

- Diagnose lack of power, poor fuel consumption, boost leaks and
- drivability issues Applicable for petrol and diesel passenger vehicles including light to Heavy diesel vehicles
- Camshaft **Holding Tool Kit** 22pc Designed to hold camshaft, crankshaft, oil pump and water
 - pump pulleys, sprockets and tail shafts while loosening and tightening the fixing bolts
 - Manufactured to OEM equivalent specifications
 - Suitable for petrol and diesel engines
 - Equivalent OEM: T10172/A & T10554

Brake Bleeder



- Features one way valve ideal for one person bleeding of brakes and clutch systems
- Includes heavy duty rubber brake bleeding port adaptor
- Silicone hose provides strength and durability against brake fluid

6

• Overall length: 420mm

Hose length: 420mm



Brake Pressure Bleed Kit

- Professional one person operation brake bleeding kit
- Efficient way to bleed brake system after repairs and flush out old brake fluid during service through themaster cylinder
- Safe to use on most brake
- Pressure (Max): 60PSI



- systems equipped with ABS



Brake Bleeder Adaptor Set 6pc

- Specifically designed for use with Brake Pressure Bleed Kit part no. 309980
- Covers 90% of Aus/NZ car parc
- Safe to use on most brake systems equipped with ABS
- Angled with swivel fitting allows clearance for hard to reach brake reservoirs
- Manufactured from heavy duty aluminium with satin finish for strength and durability
- Includes application list







- Heavy duty and durable suction dent puller with slide hammer to assist in panel reshaping
- Maintains a solid and secure grip without damaging the painted surface of the panel, while the 2.5kg slide hammer eases out



Panel and Trim Hammers

Part No: 321046

Precision Hammer Set Mini Multi-Head

- Six interchangeable screw on heads brass (round & flat)
- stainless steel, aluminium, rubber and polyurethane
- Ideal for delicate interior and exterior applications • Handy wedge handle is suitable for use as a trim remover

Blending Hammer

Designed for blending and manipulating panels

- Suitable for painted dent repairs
- Includes sharp, mushroom, blunt and ball tip heads



free removal of steering wheel airbags

\$**871**.95

• Suits most vehicles including BMW, Volkswagen, Audi, Renault, Mercedes-Benz and GM



Plastic Dolly Set 12pc

- Plastic dolly set suitable for aluminium form work
- · Cushions impact for less metal stretch and paint damage
- Manufactured from Polyoxymethylene





Body Repair Kit Hydraulic 10 Tonne

- Heavy duty professional kit features 15 different quick connect hydraulic attachments for body and frame work
- 10 tonne hydraulic ram and extension tubes
- $\bullet \quad \text{Multi-purpose kit makes light work of straightening, bending, pressing or spreading steel} \\$









• Includes slide hammer with multiple attachments including 2 and 3 jaw internal and external puller, front and rear hub pullers and various accessories





Tool Kit

Timing

Tool Kit

Suitable for popular

Timing Tool Kit

Timing

Tool Kit

Ford & Mazda (Diesel)

Suitable for popular 2.5 & 4.9L TDI diesel engin

Suitable for popular Ford Ranger and Transit, Landrover Defende and Mazda BT50 2.0L, 2.2L, 2.4L and 3.2L engine applications

Audi, Skoda and Volkswagen


• 1.6L - 2.0L petrol and diesel engine applicatio

Ford Territory 2.7L

TDI diesel engine applications

Audi & VW Part No: 304715

Part No: 245460



 Comprehensive multi-purpose puller set designed for the removal of harmonic balancers, timing gears and pulleys where access to 2 or 3 tapped holes is available

- Drop forged 4 slot flange with a range of capped bolts
- NOTE: Not recommended to be used with impact wrench



Triple Leg Mechanical Pullers

Triple Leg Mechanical Pullers

- Easy removal of bearings, pulleys, gears and sprockets
- Drop forged chrome vanadium alloy steel to increase rigidity and reduce long-term wear
- All Toledo triple leg mechanical pullers are double ended
- Suitable for internal and external applications

BMW Petrol

PRICE	Capacity	Reach mm	Spread mm	Part No.
\$39.95	1 Tonne	75	35-75	223030
\$56.95	2 Tonne	100	50-100	223040
\$80.95	5 Tonne	150	65-150	223060
\$198.95	7 Tonne	175	200	223080
\$308.95	9 Tonne	190	250	223100
\$413.95	13 Tonne	215	300	223120

Long Jaw Bearing Puller Split Collet Extractor 9pc Forcing screw features a convenient T-bar handle with 13mm hex drive Extract components quickly and efficiently when conventional pullers cannot be used Removes bearings, oil seals etc. Reversible legs designed for internal and external pulling applications where extended without damaging housing reach is required Collet size range: Ø 8-23mm Three settings on legs 6", 8" & 10" Includes two centre pins • Reach: 225mm Spread: 10 - 50mm Leg length: 300mm **Timing Tool Kits**









(LE5/LE9) DOHC 16V turbo







HOT DEAL! HOT DEAL!



- head during service and repairs
- models covering from 1.6 4.2 TDI engines
- Equivalent to OEM: T40094, T40095, T40096








• Suitable for 3.0L and 3.6L (V6) DOHC 24V SIDI petrol engine applications



- Note: Not suitable for SIDI engine applications





Wire Rope Cutters

High leverage design allows for effortless cutting of wire rope & cable

Part No.	Toma	Сарас	ity mm	DDICE
Part No.	Туре	Cable	Wire Rope	PRICE
95 62 160	Standard	6.0	4.0	\$102.95
95 62 190	Forged	7.0	5.0	\$132.95




Professional Circlip Plier Sets

• Contains popular circlip pliers for internal and external circlips

Part No.	Contents (by part number)*	PRICE
00 20 03 V02	44 11 J1, 44 11 J2, 46 11 A1, 46 11 A2	\$188.95
00 20 04 V01	44 11 J1, 44 11 J2, 44 21 J11, 44 21 J21, 46 11 A1, 46 11 A2, 46 21 A11, 46 21 A21	\$374.95



 For metric and imperial nuts and screws with width across flats from 10 and 32mm (3/8 up



• Ideal for work on vehicle brake systems



Empty case Tools NOT included

HOT DEAL! HOT DEAL! HOT DEAL! HOT DEAL! HOT DEAL! **KNIPEX Holiday Gift Bauble** Contains the popular 100mm (4") Cobra® Water Pump Pliers (87 00 100) in a custom Knipex metal ornament Features 11 adjustment positions, 28mm jaw capacity and one-handed

Combination Pliers

quick adjustment

- Gripping zones for flat and round material, suitable for versatile use Long cutting edges for soft and hard wire and thick cables
- Special tool steel, forged and oil-hardened

Part No.	Length		Сара	PRICE		
Part No.	mm	Handles	Medium	Hard	Cable	PRICE
03 01 180	180	Plastic	3.4	2.2	12.0	\$44.95
03 01 200	200	Plastic	3.8	2.5	13.0	\$50.95
03 02 180	180	Comfort	3.4	2.2	12.0	\$54.95
03 02 200	200	Comfort	3.8	2.5	13.0	\$62.95
03 06 180	180	Insulated	3.4	2.2	12.0	\$78.95
03 06 200	200	Insulated	3.8	2.5	13.0	\$86.95



Pliers Wrench Set 3pc

- Contains 125, 180 and 250mm pliers
- Handy tool roll
- Replaces a full metric and imperial set of spanners
- Smooth, parallel jaws for gripping sensitive or delicate surfaces like brass or chrome
- Push-button fast adjustment directly on the workpiece



- improved access Self gripping jaw geometry for securely gripping flat round and
- Push button fast adjustment directly on the workpiece

	Part No.	Handles	Length mm	O∃ mm	⊜] mm	Adjustment Positions	PRICE
	87 01 250	Plastic	250	50	46	25	\$81.95
	87 02 250	Comfort	250	50	46	25	\$91.95
	87 01 300	Plastic	300	70	60	30	\$111.95
l	87 02 300	Comfort	300	70	60	30	\$125.95



Connector & Gripping Pliers

- For siphons, oil filters, plastic pipes and connectors up to 80mm
- 81 01 250: serrated gripping jaws
- 81 11 250: exchangeable plastic jaws for sensitive surfaces

Part No.	Length mm	Capacity mm	Adjustment Positions	PRICE
81 01 250	250	25 - 80	25	\$92.95
81 11 250	250	10 - 75	25	\$134.95





- Cuts pipes quickly, cleanly and without shavings
- Can be used to cut sealing sleeves during final assembly
- Two spare blades integrated in the tool





Cobolt® Compact Bolt Cutters 200mm

- For soft and hard wire also piano wire
- Cuts bolts, nails, rivets, etc. up to 5.2 mm dia.

Don't Ma	Handles	Blade	Capacity IIIII			DDICE	
Part No.	Handles	Туре	Medium	Hard	Piano	PRICE	
71 01 200	Plastic	Straight	5.2	4.0	3.6	\$111.95	
71 31 200	Plastic	Recess	5.2	4.0	3.6	\$124.95	

HOT DEAL! HOT DEAL!



 Only 145mm in length, small & compact design allows access to areas where conventional pliers can't fit

Easy cutting with high leverage joint

03 01 180

l	Handles	Length		Сарас	ity mm	
l	Handles	Length mm	₩	₩	Medium	Hard
	Plastic	145	Ø 8.0	16mm ²	3.8	13.0



Long Nose Pliers

- Suitable for gripping, adjustment and assembly work
- Half-round, long tapered jaws
- With cutting edges for soft, medium-hard and hard wire

Part No.	Style	Handles	Capacit	y mm	PRICE
raicito.	Jtyle	Hallules	Medium	Hard	THICL
26 21 200	Bent 40º	Plastic	3.2	2.2	\$75.95
26 22 200	Bent 40º	Comfort	3.2	2.2	\$83.95



Diagonal Cutters for plastics 160mm

- 45° angled cutting edge
- For flush cutting of moulded plastic components
- Cuts soft materials such as lead in a flush cut



High Leverage Diagonal Cutters

- High cutting performance with minimum effort
- For very tough, continuous use
- Precision cutting edges additionally hardened

Part No.	Handles	Length	Сар	acity m	m	PRICE
Part No.	Handles	mm	Medium Hard Piano		PRICE	
74 02 180	Comfort	180	3.8	2.7	2.2	\$84.95
74 02 200	Comfort	200	4.2	3.0	2.5	\$89.95
74 02 250	Comfort	250	4.6	3.5	3.0	\$107.95
74 06 200	Insulated	200	4.2	3.0	2.5	\$119.95



High Leverage End Cutting Nippers 200mm

- With cutting edges for soft, hard and piano wire
- High cutting capacity with little effort due to optimum co-ordination of cutting edge angle and transmission ratio
- Cutting edges additionally induction-hardened, cutting edge

2023



Made in Germany



Parallel Pin Punch Set 6pc

- Set of six 150mm parallel punches in plastic stand
- Sizes: 3, 4, 5, 6, 8 and 10mm







 Set of four flat, octagonal cold chisels in durable fabric wallet

4pc

- Pouch is made from high quality fabric that can withstand the weight of heavy items
- Lengths: 100, 125, 150, & 175mm

Chisel & Punch

• All neatly encased for ease of

access and practical storage

• Parallel Pin Punches: 2, 3, 4, 5,

Flat cold chisels: 150, 200, 250mr

Tool Roll 11pc Chisel pin and taper punch in handy tool roll

6, 8 and 10mm

Taper: 3mm







Part No.

430 230

430 231

60N - 130N

180N - 250N

Slitting Chisel

• Ideal for chasing, cutting and slitting

Automatic Centre Punches

Spring loaded self striking mechanism

125

130

• Activated by downward pressure (hammer not required)

Size of Shaft

14

17

Impact strength is adjusted by rotation of the knurl

• Hardened striking heads mean no splintering or mushrooms





Mini Wrecking Bar 300mm

- Wrecking bar claw on one end and a flat cold chisel on the other
- For dismantling wooden pallets and use in space restricted areas
- Special tool steel for added strength and durability
- Red powder coated finish protects from all elements

HOT PRICE! HOT PRICE! HOT PRICE! HOT PRICE!

Chisel & Punch Set

- Slitting Chisel 240mm
- Flat Cold Chisels: 100, 200, 250mm
- Parallel Pin Punches: 4, 6, 8 & 10mm
- Centre Punch 4mm
- Seal Scraper 260 x 25mm
- In foam tray

PRICE

\$77.95

\$88.95





PROFESSIONAL TOOLS **MADE IN JAPAN**



• Fits on and off pipes due to the spring loaded head

Part No.	Size mm	Pipe inch	PRICE
HITCPW450	450	2	\$173.95
HITCPW600	600	3	\$343.95
HITCPW900	900	4	\$560.95





Steel Strap Cutter Drop forged heat treated alloy steel blades • Shear cut blades provide a clean, smooth and easy cut-

excellent for pallets, shipping and metal recycling yards

• Sliding striker handle - no need to use a hammer to bite into the steel strapping

Increased efficiency, less effort required







Heavy Duty Cable Cutters

- and copper
- Alloy steel jaws perform a clean sharp cut with minimal
- Extra-long handles provide leverage to cut 50mm diameter cable
- Not suitable for cutting ACSR, wire rope, steel or supporting

Part No.	Length	Cutting Cap	acity mm²	PRICE
Part No.	mm	Aluminium	Copper	PRICE
HITSC250R	600	350	250	\$154.95
HITSC500R	830	650	300	\$239.95



Each tool can be used for metric and inch plus damaged nuts and bolts!



• Deep: 11 x 7/6", 12 x 15/2", 13 x 1/2", 14 x 9/6", 15 x 1/5/2", 16 x 5/6", 17 x 1/16", 18 x 2/5/2", 19 x 3/4", 20 x 2/5/2", 21 x 1/3/6", 22 x 7/6", 23 x 2/5/2", 24 x 1/5/6", 25 x 1"

Part No: MET-0405 Standard **Socket Set**

 Accessories: Quick Release Reversible Ratchet, 250mm (10") Extension Bar, Flexible Handle, Universal Joint, 3 Way Adaptor, 21mm & 13/16" Spark Plug Socket, 125mm (5") Extension



HOT DEAL! HOT DEAL! 3 Way Adaptor Sliding T-Piece

PRICE MET-1398 \$11.95 3/8" \$13.95 MET-1294 1/2"



10-19mm Part No: MET-0110 \$0 0.00

Spanner Set 10 Piece

- 10 Ring and Open End Spanners
- 10 x 3/8", 11 x 7/16", 12 x 15/32", 13 x ½", 14 x ½16", 15 x ½1", 16 x 5%", 17 x $^{11}\!\!/_{16}$ ", 18 x $^{23}\!\!/_{32}$ ", 19 x $^{3}\!\!/_{4}$ "





Standard & Deep Wall Socket Set

1/2" Drive

Accessories: Quick Release Reversible Ratchet, 150mm (6") Extension Bar, Fingertip Ratchet, Universal Joint

\$146^{.95}

9 Standard **Socket Set**

1/4" & 3/8"

- 1/4" Drive Accessories: 150mm (6") spinner handle, %" and ¼" adaptor, 50mm (2") extension bar, universal joint, finger ratchet
- 3/8" Drive Accessories: 21mm and 13/16" spark plug socket, 16mm & 5/8" spark plug socket, quick release reversible ratchet, 150mm (6") extension bar, universal joint



TRIDON >







300 cable ties





























Hose Clamp Packs



Perforated Band Clamp Pack Part Stainless Steel Made in Australia





Contents					
Size mm	Part No.	Qty	Size mm	Part No.	Qty
6 - 16	MH004	20	21 - 38	HS016	10
11 - 22	MH006	20	21 - 44	HS020	6
14 - 27	HS010	10	27 - 51	HS024	6
18 - 32	HS012	10	TOTAL		82

Double Ear

Clamp Pack Zinc Plated Carbon Steel

Pincing pliers included



Perforated Band Clamp Pack All Stainless Steel

For corrosion protection Made in Australia

MAH004 11 - 22 MAH006 33 - 57 HAS028 15 14 - 27 HAS010 40 - 64 HAS032 15 18 - 32 HAS012 TOTAL 150 21 - 38

CV Boot Clamp Pack

- Stainless steel band clamp to retain the CV boot on the CV joint and shaft
 - Contains a selection of CV Boot clamps and TOLEDO CV Banding Tool with cutter
 - Easy to use, simply tighten the band around the CV boot, fold the band over and crimp the housing to secure

Contents

Part No.	Size mm	Qty
CV130	6.3 x 130mm	5
CV280	6.3 x 280mm	10
CV360	6.3 x 360mm	5
CV480	6.3 x 480mm	5
CV680	6.3 x 680mm	5
301104	Banding Tool with Cutter	1



WATERPROOF CHARGERS





Power Inverters

- Converts 12VDC power from a battery into clean 240VAC power to run 240VAC appliances
- Pure Sine Wave output produces stable power the same as 240VAC mains connection to power sensitive electronic devices without interference to audio, displays or sensitive electronics

Part No.	Output Power	Surge Power	PRICE
MAI1501P	1500W (240VAC) & 2.1A (5VDC)	3000W	\$479.95
MAI2001P	2000W (240VAC) & 2.1A (5VDC)	4000W	\$715.95
MAI3001P	3000W (240VAC) & 2.1A (5VDC)	6000W	\$954.95





- 1 x 400A fused connection point
- 2 x 30A fused connection points



- Fast, accurate and reliable • Water and dust proof to IP67

HOT DEAL! HOT DEAL!



HOT DEAL! HOT DEAL!





LED Battery Voltmeter

- Low wattage and power saving Display the voltage of your batteries
- 95cm cable length with cigarette plug
- Display flashes low voltage warning below 11.5V





Battery Tester Microprocessor controlled

- Easy to read LCD screen
- Reverse polarity protection
- Accurate results in 2 seconds Convenient in-vehicle option
- tests battery and starting/ alternator system in sequence
- No internal battery required



- One step operation
- Fully automatic charging
- Maintains optimum battery condition

Part No.	AMP	Output	PRICE
AE300E	3 AMP	12VDC	\$104.95
AE500E	5 AMP	12VDC	\$114.95
AE1000E	10 AMP	12VDC	\$238.95
AETOOOE	10 71111	12400	7230.7.





Terminal **Assortment Pack**

Selection of 50 popular

terminals and 3 pairs of covers See website for full contents list

Part No	Qty	Part No	Qty	Part No	Qty	Part No	Qt
MA11	10	MA14P	5	MA36STN	5	MA100N	5
MA14N	5	MA32	10	MA36STP	5	MA100P	5







- Ultra-light weight 420g
- 5V. 3 AMP USB 2.0 Outlet Compact Panels 2mm thick
- Water Resistant*
- Charge compatible phones tablets, power banks etc.
- Open Dimensions: 497 x 250 x 2mm







OBD Solar Maintenance Charger

- Integrated panel regulator for charging 12V batteries
- Charge 5V USB devices
- High quality PET lamination for long service life
- Lightweight and compact • Connect to car via OBD plug (included) or alligator clips
- Includes suction hangers x 4
- Dimensions: 171 x 246mm

Sp Sykes-Pickavant







1500 Series Hydraulic Extractor, Puller & Separator Master Set

- Makes 10 different twin/triple leg pullers, plus heavy duty bearing separator kit and internal extractor kit
- Spread: 20-250mm
- Reach: 250mm
- Made in England







- Professional 26 blade, cranked feeler gauge set
- Features 45° offset for reach to areas where access is restricted
- Thickness range: 0.005 0.762mm



- Individual separators for removing and refitting bearings, etc
- Can be used with any of the Sykes-Pickavant design of pullers where standard legs cannot gain access

•	Tapered legs provide all round support	

RICE
9.95
19.95



- Makes four twin & triple leg pullers, plus bearing separator kit
- Spread: 50-150mm
- External Spread: 20-105mm
- External Reach: 876mm



- · For cutting aluminium, brass, copper and mild steel tubing
- Telescopic action and grooved rollers allow cutting close to
- Features fold-away deburrer and spare cutting wheel in handle



Mechanical Multi Puller Pack

- Makes five different mechanical puller & separator combinations
- Consists of a thin jaw puller, reversible leg puller and bearing separator the ideal combination for light applications
- Spread: 140mm Reach: 89mm
- Made in England

Professional **Diamond Tipped**



 Handy pocket engraver easily marks glass, ceramic, plastic and hardened metals

- Long lasting diamond tip
- For personalising toys, sport equipment tools, appliances, gifts and trophy's
- Supplied with 2 x AAA batteries



- Master set of panel beating tools
- Lockable metal case

WHILE STOCKS LAST!



damage to heads or block Suits modern petrol and diesel

Includes dummy glow plugs and an adjustable dummy injector for modern diesel engines



Puller Kit 30 Tonne

- Comprehensive range of pulling and extracting options
- Four pulling combinations
- Includes 3 x cranked legs, 3 x straight legs and 3 x leg extensions
- Spread: 530mm, Reach: 580mn



Iron Kit 9pc • Three features in one: Soldering Iron, and Hot Blower

- Piezo ignition with adjustable flow
- constant flame capability
- Inbuilt stand and child safety latch
- This is kit is not supplied or filled with butane gas



Sonoscope

- · Sensitive sound detector with a built-in diaphragm which amplifies noise to assist in the diagnosis of noisy water pumps, wheel bearings and other driven auxiliaries
- Probe length: 290mm
- Hose length: 550mm

Ball Joint Separators



Ball Joint Separator 70mm

- For ball joint separation and removal on heavy goods vehicles
- Heavy duty with strengthened lever and fork allowing for greater force to be applied



Ball Joint Separator 45mm

- Simple and specific tool for ball joint removal
- · Ideal for one-size efficient use on passenger vehicles and some

Torque Wrenches

Professional Digital Torque Wrench

- Provides up to 12 different units of torque on a clear and easy to read digital OLED display
- Rechargeable lithium battery via the USB charging port (charging lead included)
- Push/pull torque adjustment knob that allows for rapid and
- **Made in England**

Part No.	Sq. Dr	Ratchet Diameter	Ratchet Teeth	Capacity Nm	Capacity Lbf. ft.
830 200	1/2"	45mm	72	40-200	30-150



Industrial Torque Wrenches

- Unique profiled cam and reaction plate, provides a clear torque signal and the large break angle greatly reduces the possibility of over torqueing
- Made in England

Part No.	Sq. Dr	Length mm	Nm	PRICE
802400	3/4"	1214	200-800	\$1309.9
802500	3/4"	1449	300-1000	\$1349.9
802550	1″	1764	700-1500	\$1799.9

HOT DEAL! HOT DEAL!



Ideal tool for holding belt pulleys when removing or replacing pulleys

on water pumps, alternators, power

 Can also be used to rotate camshafts and crankshafts during engine timing service work The hold is tighter than with a normal strap wrench

Collapsible Magnetic Parts Trays



Collapsible Magnetic Parts Trays

- Allows the parts tray to close fully flat for easy storage Height adjustable to suit different applications
- · Suitable for safely storing small parts, nuts, bolts and screws Sticks to any ferrous surface with ease

Strong rubber covered magnetic base prevents scratching on sensitive surfaces	5
-------------------------------------------------------------------------------	---



Part No.	Shape	Size	PRICE
680001	Round	135mm	\$22.95
680002	Round	225mm	\$53.95
680003	Oval	200 x 280mm	\$68.95



 Features tapered cone bearing and seal driver tools, manufactured from aluminium for damage free bearing and oil seal replacement

Available in Metric and SAE

10-42mm

Drive Handles: 11 x 105mm, 16 x 130mm, 20 x 142mm Bush Adapters: 10-42mm

Crankcase Separator Tool 8 Piece

- Simple and effective puller set to suit most two and four stroke engines that have a vertically split crankcase
- Adjustable puller legs allow for a multitude of bolt patterns
- Spread: 50-240mm







and Installation Tool

- Essential tool for removing and installing piston pins without damaging the piston
- provides a firm and comfortable









Spoke Torque Wrench Set

Steel 12 Piece

- Enables tightening and removal of spokes in one piece
- Applies correct and equal tension to the spokes • Spoke remover releases damaged or rusted spokes easily
- Simply tighten the spoke until you hear and feel a click which indicates that the spoke is adjusted correctly
- Takes all the guesswork out of wheel and spoke assembly and maintenance
- Adjustable Torque Wrench 2-10 Nm
- Sizes: 5.0, 5.6, 5.8, 6.0, 6.2, 6.3, 6.5, 6.7, 6.9, 7.1, 7.4mm & Spline drive



Vacuum Pump

& Brake Bleeder Kit

Bleeds hydraulic brake and clutch

and accessory kit including three connector sizes and various adaptors

Harley-Davidson Gudgeon

Manufactured from lightweight aluminium

stock and aftermarket engines, including Twin Cam, and other engine makes with

and chrome molybdenum alloy steel

Applications include Harley-Davidson

similar piston pin diameter sizes.

Pin Remover & Installer Tool

systems - one-man operation

Die cast pump body with gauge



• Lubricating motorcycle cables prolongs service life and reduces risk of breakage

Simple operation injects lubricant into cable housing



to complete the repair

For most 50 series chains and





Assembly Tool Set • Tapered tool set for pulling o'rings or sleeves onto brake components and hydraulic systems without risk

Size range: 14.4-22.4mm





Carburetor **Adjusting Tool Set**

- Designed for those hard-to-reach air/fuel mixture screws on most multi-cylinder motorcycles
- Special angled drive design assists in aligning
- he bit with the carburetor adjustment sc • 9 piece set includes Flat, Phillips, PH#2 & D-type bits
- Supplied in a durable metal case





- Hand operated pump builds and displays pressure quickly to locate leaks in cooling and radiator systems • Dual scale pressure gauge (PSI / Bar)
- features 300mm hose and push-buttor pressure release valve
- Includes attachments to test both cooling





Pick & Hook Set 4pc

- Durable soft grip pick and hook set ideal for removal of o-rings, seals and bushes in various mechanical applications
- Contains straight, 45 and 90 degree picks plus hook tool

Part No.	Overall Length	Shaft Length	PRICE
BS1234	162mm	76mm	\$19.95
BS0230	214mm	152mm	\$25.95

Chain Alignment Tool

- Specialist tool to enable quick and accurate chain alignment
- Designed for universal use, suitable for most motorcycles and ATV's
- Affix to the rear sprocket with alignment rod facing forward to align chain
- Suitable chain sizes 420 630



- for use with slotted retaining rings
- Thin hook can access confined areas in motorcycle steering and suspension (4mm Manufactured from chrom
- vanadium hardened steel

Part No.	Size	PRICE
BS0350	19-51mm (3/4"-2")	\$31.95
BS0351	32-76mm (1 1/4" - 3")	\$47.30
BS0352	51-120mm (2" - 4 3/4")	\$69.95
BS0353	118-158mm (4" - 6")	\$62.95
	- House IA -	



Magneto Flywheel Puller Sets





- Features threaded pullers designed for fixed-point type magneto flywheels
- Chrome alloy steel ball tip on shaft to reduce friction stress during disassembly
- 1/2" Sq. Dr. (21mm Hex)

Part No.	Style	Qty	Size	PRICE
BS30014	External	14рс	M19 x 1.0 to M33 x 1.5	\$269.95
BS30015	Inter nal	16рс	M24 x 1.0 - M50 x 1.5	\$499.95
BSB00391	External & Internal	15pc	M19 x 1.0 to M42 x 1.5	\$499.95







- Dual size alloy wheel nut socket for front and rear axles
- Maximum torque: 280-320Nm
- 1/2" Sq. Dr.

Part No.	Suits	Diameter	PRICE
BS5550	Ducati	41 & 46mm	\$67.95
BS5551	Ducati	30 & 55mm	\$92.95
BSE05551	Impact - Ducati	30 & 55mm	\$99.95
BS5552	MV Agusta	26 & 56mm	\$96.95
BS70012	KTM	60mm	\$99.95



- protective rubber bumper
- · Incorporates thread depth measuring tool
- Includes braided steel hose, swivel chuck and
- pressure release button.
- Working pressure to 5 Bar (70 PSI)



TRIDON > MEGATOOLSALE









🤼 Sykes-Pickavant。

1600 Series Hydraulic Puller & Separator Kit Super Heavy Duty 16 Tonne

- Combined twin/triple puller and separator set with 2 sets of
- adjustable, reversible legs giving 12 pulling combinations
- Adjustable separator with 4 extension rods in wooden case
- Maximum Spread: 400mm Maximum Reach: 280mm
- Made in England







- Measures tyre tread depth, shoulder wear and centre tyre line
- Pencil type with handy pocket clip for easy storage Calibrated with metric and imperial graduations
- Suitable for cars, motorcycles, light commercial and heavy



- ¼" arbor with retractable pilot ensures accurate cuts
- Use with all ¼" or larger variable-speed drills
- Length: 75mm



- Features 72 (5°) tooth ratchet head assembly
- Sizes:

8 x 10mm - 12 x 13mm 14 x 17mm - 18 x 19mm 20 x 21mm - 22 x 24mm

Torque Wrench 1/2" Sq. Drive

- Click-stop design for superior strength and durability
- Micrometer style adjuster enables precise torque setting
- Dual Scale: 14 203Nm/10 150Ft. Lbs.



Cooling System Tester 5pc

- Suitable for heavy vehicle applications includes four expandable tapered adaptors and pressure pump
- Pressure pump ranges from 0-35psi (0-2.5bar)
- Adaptor sizes: 17-35mm, 26.5-41mm, 37-50mm & 47-60mm



T-Handle Socket Wrench Set 300mm 8pc

• Sizes: 6, 8, 10, 12, 13, 14, 17, 19mm



Rechargeable LED Lighting

Sykes-Pickavant。

Professional Pocket LED Pen Light

- Bright and robust pocket pen light for quick and easy
- Lighting modes: bottom light with direct beam and work
- light with wide flood beam Inbuilt belt clip with magnet





- Multifunctional work light
- Lighting modes: top light with direct beam and work light with wide flood beam
- Super strong magnets and two 360° rotating hooks
- 180° swivel stand with strong inbuilt magnet





- Ultra-bright and lightweight slim work light illuminates hard to reach places with ease
- Lighting modes: top light with direct beam and work light with wide flood beam on adjustable dimmer switch

Sykes-Pickavant

Professional Slimline LED Headlight

- Lightweight and easy to use LED headlamp easily lights up dark areas while keeping your hands free
- Features three lighting modes: eco, normal and sense mode
- Sense mode allows for a truly hands free operation by just swiping your hand in front on the motion sensor to either quickly turn on off the headlamp

0388-23. Prices valid 1 October to 31 December 2023. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independent businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698