

Standard AB30

- ☑ Honda GX200 6.5HP
- ☑ Bertolini triplex pump
- ☑ FREE turbo valued at \$184

ABSS30/GX200 \$2,517

Hose Reel Option (as shown)

AB30 with hose reel & 15m hose fitted + FREE foamer

ABSS30/GX200HR \$3,069



**AUSSIE BUILT** more page 10

ABSS30/GX200HR

# **QP HONDA FIRE PUMPS ELECTRIC START** POWERED by HONDA **OPTIONS HUGE SAVING** S1.058



Ideal for hobby & domestic applications

- Honda 5.5HP GP160 (2 year domestic engine warranty)
- Max head 60m
- Max flow 450 lpm

QP-2S/GP160 (20kg)

#### **AUSSIE FIRE CAPTAIN**

QP205SL/GX200FF

- Max head 75m, max flow 450 lpm
- 6.5HP Honda GX200
- Full frame ... robust, practical

Recoil start

QP205SL/GX200FF NOW \$1,058

**SAVE \$462** 

Electric start

QP205SL/GX200E \$2,189\*

(\*Gel battery extra \$255)

#### MR T TWIN IMPELLER

MORE PRESSURE ♦ HIGHER HEAD ♦ MORE FLOW

SIMMER

- . Max head 95m, max flow 500 lpm
- . FREE frame with anti vib mounts

9HP Honda recoil start

QPT205SLT/GX270 NOW \$1,980 **SAVE \$352** 

13HP Honda electric start QPT205SLTGX390E \*Gel battery extra \$255



**HUGE SAVING** 

**FRFF** Aussie Bushfire

#### **AUSSIE ULTRALITES**

**VERSATILE** · PORTABLE

- ☑ Portable fire protection
- FREE strainer & coupling kit
- Self primes from 8 metres

#### **AUSSIE 1" QP1**

- 1HP Honda
- Max head 40m (57 psi)
- Max flow 120 lpm
- 5kg

QP1/GX25 JUST





#### AUSSIE 1½" QP154SX

- 2.5HP Honda
- Max head 60m (85 psi)
- Max flow 210 lpm
- FREE 1" reducer
- 9.8kg

QP154SX/GXH50 \$763





Check out Joe's bushfire protection set up

#### **Top Quality Fire Hose Kits**

(for use with Fire Pumps only, not suitable for Ultralites)

- 6m (50mm) suction hose & strainer
- Adjustable jet spray nozzle

QFFKIT1 1 x 20m (20mm) discharge hose

\$430 \$559

QFFKIT3 2 x 20m (20mm) discharge hose

Call for our full range or check Pump Smart page 26

# **QP HONDA TRANSFER**

2" TO 6" ....MOVE WATER FAST

**☑** Fast self priming from 8m

☑ Cast iron open impeller

✓ Full roll frame

**☑ FREE** coupling & strainer kit

#### **GUSHERS .... MOVE WATER FAST**

2"... QP-2 Flows to 600 lpm, Max head 30m (43 psi)

Recoil start 4HP QP-2/GX120

**QP209** Flows to 800 lpm, Max head 33m (47 psi)

Recoil start 5.5HP QP209/GX160 \$1,065 Electric start 6.5HP QP209/GX200E \$2,728\*

QP303 Flows to 1000 lpm, Max head 32m (45 psi)

> Recoil start 5.5HP QP303/GX160 RFF Electric start 6.5HP QP303/GX200E \$2,728\*

QP310 Flows to 1300 lpm, Max head 30m (43 psi)

Electric start 13HP QP310/GX390E \$4.662\*

Flows to 1800 lpm, Max head 30m (43 psi)

8HP QP402/GX240 \$2,930 Recoil start Electric start 13HP QP402/GX390E \$4.662\*

Flows to 2900 lpm, Max head 23m (33 psi)

Electric start 13HP with long range fuel tank

QP602/GX390ELRG \$9,891\* December only ... \$8,891



3" & 4" High head versions (to 70m head) also available. Call for details

Pump kits available to suit all brands of petrol & diesel engines

See the full range **Pump Smart** online

Why choose an Aussie QP Trash Pump for dirty water?

- ☑ Front clean-out port
- ☑ Silicon Carbide mech seal
- ☑ High SG cast iron open impeller & volute





## **AUSSIE QP HONDA TRASH ... DIRTY WATER SPECIALISTS**

2"... QP203T Flows to 630 lpm, heads to 27m, solids to \%"

5.5HP QP203T/GX160 Recoil start \$2,097 6.5HP QP203T/GX200E \$3,353\* Electric start

3"... QP300T Flows to 850 lpm, heads to 27m, solids to \%" Recoil start 5.5HP QP300T/GX160 \$2,097 Electric start 6.5HP QP300T/GX200E \$3,353\*

QP301T Flows to 1200 lpm, heads to 27m, solids to 1" Recoil start 8HP QP301T/GX240 \$2,523 Electric start **13HP** QP301T/GX390E \$4,195\*

4"... QP40T Flows to 1800 lpm, Max head 24m 11/2"

\*Gel battery extra from \$255

Electric start **13HP** QP40T/GX390E \$8,230\*



#### YANMAR GUSHERS ... MOVE WATER FAST

\*Gel battery extra \$255

**2"... QP209** Max flow 700 lpm, Max head 28m (40 psi) Recoil start 4.8HP QP209/L48 \$3,714

Electric start QP209/L48E \$4,929\* 4.8HP

**3"... QP303** Max flow 1000 lpm, Max head 30m (43 psi) Recoil start 4.8HP QP303/L48 \$3.714

Electric start 4.8HP QP303/L48ESOL \$4,929\*

**QP310** Max flow 1300 lpm, Max head 30m (43 psi) Electric start 10HP QP310/L100E \$7,966\*

4"... QP402 Max flow 1600 lpm, Max head 30m (43 psi)

Recoil start 7HP QP402/L70 \$5.098 Electric start 10HP QP402/L100E \$7,972\*

**6"... QP602** Max flow 2500 lpm, Max head 18m (26 psi) Electric start 10HP QP602/L100E \$13,919\* With long range fuel tank QP602/L100EL \$14,762\*

\*Gel battery from extra \$255

#### YANMAR TRASH PUMPS ... DIRTY WATER

QPT205SLT/L100E

2"... QP203T

Max flow 600 lpm, Max head 27m, solids to 3/4" Electric start 4.8HP QP203T/L48E \$5,969\*

3"... QP300T

Max flow 850 lpm, Max head 27m, solids to 3/4" Electric start 4.8HP QP300T/L48E \$5,969\*

**QP301T** 

Max flow 1200 lpm, Max head 24m, solids to 1" Electric start 10HP QP301T/L100E \$8,171\*

4"... QP40T

Max flow 1600 lpm, Max head 24m, solids to 1.5" Electric start 10HP QP40T/L100E \$10,199\*

\*Gel battery from extra \$255





# **BIG 6" TRASH PUMPS RUBBISH GOBBLERS**

- De-watering
- · Tailing dam pump out
- Public works
- Slurry pumping
- Flood mitigation
- Sewage transfer
- Sewer by-pass

# **MQ600TD ... FLOWS TO 6,000 LPM**

Move large volumes of solids contaminated water ... fast to set up, simple to maintain!

- 6 inch flanged ports
- 46 metre max head (65 psi)
- 60kW/80HP Deutz air cooled, 4 cylinder electric start diesel engine
- LOFA engine control
- **Self primes** from 7.6m
- Low oil pressure, oil temperature and V-belt failure shutdown

Oil lubricated tungsten titanium carbide seals standard

MILLEMS OTD

**SELF-PRIMING** CONVENIENCE

- Wear resistant volute & impeller
- Handles solids up to 76mm (3")
- Easy clean-out port can be removed without disconnecting pipe work
- 152 litre fuel tank in base of skid, allows pump to run for approximately 11 hours
- Skid or trailer mount

# **OUT PORT QP-60TD** ... 4,200 lpm max flow

QP-60TD

**EASY CLEAN** 

- 6" flanged suction & discharge ports
- Self priming from a depth of 7m
- 24.8HP Kubota D1105 water cooled, three cylinder diesel engine
- Oil lubricated tungsten/carbide seals
- Wear resistant volute & impeller
- Handles solids up to 40mm (1.5")
- 60 litre fuel tank, 2,700 RPM pump will run for approximately 10 hours

#### SALT WATER PUMPS **AUSSIE SEA SKIPPER SERIES**

- Fire fighting
- Bilge pumping/salvage
- Salt water transfer
- Yanmar diesel engines (electric start & recoil options)
- High pressure, high flow & trash pump options
- Superb fuel efficient performance
- Marine grade aluminium body, powder coated (inside & out)
- Bronze impeller & volute
- Sacrificial zinc anode in drain plug

# \* 2" inlet, 3 way outlet (1 x 1½", 2 x 1")

#### CORROSION **RESISTANT**

	Configuration	Max head	Max flow	s/code
2" *	High head	60m	400 lpm	QP205SED-L48
	Extra high head	90m	450 lpm	QPT205SLTD-L100
3"	High flow	30m	1300 lpm	QP310ED-L100E
	High head	50m	1150 lpm	QP310SLED-L100E
	Extra high head	70m	700 lpm	QP310SXED-L100E
	Trash	24m	1200 lpm	QP301TED/L100E
4"	High flow	32m	1500 lpm	QP402ED-L100E
	High head	50m	1400 lpm	QP402SLED-L100E
	Extra high head	70m	700 lpm	QP402SXED-L100E





Kits available to suit all brands of petrol & diesel engines

# SUMMER **AUSSIE SMART PUMPS LEAK FREE CHEMICAL TRANSFER** POWERED by

- Strong, 30% glass filled polyester construction
- Genuine Honda GX200 6.5HP with 3 year warranty
- Lightweight & portable
- **EPDM & Viton seal options**
- **Integrated handle**
- Suction lift 7.6 metres
- 2" or 3" port options
- Viton & EPDM elastomers
- FREE skids & anti vib mounts

# Smart Pump selection guide

HUGE SAVING NOW

\$1,056

#### 2" SMART PUMP

- Max flow 835 lpm
- Total head 25m

#### 3" SMART PUMP

- Max flow 1010 lpm ... fast tank filling!
- Total head 25<sub>n</sub>



RSE2BRL/GX200 ... EPDM seals **ONLY \$1,056 SAVE \$360** 

RSE2BRV/GX200 ... Viton seals **ONLY \$1,280 SAVE \$298** 

2" & 3" HYDRAULIC DRIVE

RSE3BSV/GX200 ... Viton seals **ONLY \$1,852 SAVE \$440** 

Check Aussie Chemical Compatibility chart for full list Poly pump wet end kits available for 3/4" keyed shaft engines



- Liquid fertilizer
- Ag chemical transfer
- Brine or salt water
- Diesel fuel transfer High volume water
- transfer Stock feed

See the full range Pump Smart online

#### 2" 316 STAINLESS STEEL SMART PUMPS

Mobile installations

Bi-directional Parker Hannifin hydraulic motor with by-pass valve

2" high flow ...

835 lpm max flow, 25m max head

3" high flow ...

1010 lpm max flow, 25m max head

VITON SEALS ... suit most chems & salt

2" RSE2BRV/HYD \$2,433 3" RSE3BSV/HYD \$2,730

As used by

## You name it .... we can pump it!



2" RSE2 Honda

2" BSP port external threads,

11/2" BSP internal threads ... SMART DESIGN!

- Viton elastomers
- FREE gal roll frame & gel battery on diesel version
- **Electric drive options**



HOND

Honda petrol recoil start Yanmar diesel electric start RISP2BGV/GX200 RISP2BGV/L48E

\$2,743 \$6,833

water

# **AUSSIE SPRAYMASTER**

MORE HORSEPOWER ♦ MORE PRESSURE ♦ MORE VALUE

#### WEED CONTROL / **HIGH FLOW WASHDOWN**

- ☑ Top quality Udor 40 BAR diaphragm pump ... 4 year warranty
- ☑ Honda GX series engine ... 3 year warranty
- ☑ FREE stainless steel scoop frame ...easy to lift
- ☑ Diesel & hydraulic drive options

#### KAPPA 43 ...

- Honda 6.5HP
- Recoil start
- . 44 lpm flow, 40 bar
- 3 way outlet
- . Gauge & bypass

SKAPPA43/GX200 ... \$2,640 SAVE \$837

#### M27 spray gun

30 bar (435 psi), 300mm

SB279041 \$88

#### **DELTA 75 ...**

- . Honda 13HP
- . Electric start
- . 75 lpm flow, 40 bar
- . 3 way outlet

**Turbine Gun** 

600mm

SB7901103

. Gauge & bypass

SDELTA75/GX390E ... \$5,948\*

60 bar (870 psi),

\$382

#### **DELTA 125 ...**

\$2,640

- . Honda 13HP
- . Electric start
- . 125 lpm flow, 40 bar
- 3 way outlet
- . Gauge & bypass

SDELTA125/GX390E ... \$7.450\*



#### Turbo 400

50 bar (725 psi), 400mm

SB26901165 **\$201** 

Delta 125 Honda \*Battery sold separately

Call for tank, reel & hose options

See the full range **Pump Smart** online



HONDA



# 2" & 3" ELECTRIC DRIVE SMART PUMPS

- Viton seals
- IP56 rated, 2 pole motor with SS shaft

#### 2" High flow

660 lpm max flow, max head 16m 240V, 2.2kW RSE2BRV/2.2/240 **\$2,743** 

- Aussie Protek motor protection system.
- **Suction lift 7.6 metres**

#### 3" High flow

800 lpm max flow, max head 16m 415v, 4kW

RSE3BSV/4/415 \$3,258





#### 2"& 3"UTILITY PUMPS **CAST IRON VALUE**

2" 2.2kW B2KQ-A/ST CAT

Flows to 440 lpm

Heads to 18m EB78 415v

Solids to 19mm

3" 2.2kW B3KQ-A/ST CAT

EAR5 240v **\$2,564** Flows to 900 lpm Heads to 16m EAR6 415v \$2,564

Solids to 27mm

3" 4kW B3XR-A/ST CAT

Flows to 1,300 lpm

Solids to 19mm

EB93 240v **\$2,406** 

\$2,406

\$2,406

GREAT VALUE FROM

#### Heads to 26m

EAFV 415v \$3,988

**SAVE \$1500** 

- · Heavy duty cast iron
- Open non clog style impeller for passing spherical, compressible solids in suspension
- Self prime from 6 metres
- Front mounted clean out port
- · Close coupled to a heavy duty TEFC single or three phase electric drive motor IP rated
- · Cast iron foot mounting on pumps up to 2.2kW

- Pumps 4kW & over mounted on steel base plate
- · Silicon carbide mech seal/ alumina counterface with nitrile rubber seals standard, option of tungsten carbide with Viton
- 316 stainless steel motor shaft
- · Optional stainless steel impeller for most models

See the full range **Pump Smart** online

#### 3" & 4" ... HIGH FLOW & HIGH PRESSURE MOTOR PUMPS

Ports	Model	CAT no.	Motor	kW	IP rating	Total Head (m)	Capacity (I/m)	Solids to (mm)	rrp
2" 2"	B3XR-A/ST	EANH	- 3ф, 415v	5.5	- 55	26	1,400	24	\$6,525
3" x 3"	B3XK-A/S1	EANL		7.5		31	1,500	24	\$6,900
	B4KQ-A/ST	EAGF	3ф, 415v	4	55	14	1,600	37	\$5,226
4" x 4"	B4XR-A/ST	EADL	- 3ф, 415v	11	- 55	30	2,200	35	\$8,764
		EANM		15		29	2,300	39	\$9,142
	G3TMK-A/ST	EAND	3φ, 415v <b>7.5</b> 11	5.5	— — 55	40	910	10	\$6,233
3" x 3"		EANE		7.5		47	850	13	\$7,132
		EANG		11		54.4	1100	16	\$8,488
	B3ZPM-A/ST	EA9B	3ф, 415v	22		78	1250	19	\$12,071

#### Call for details on 6"& 8" pumps



# Aussie Pumps **AUSSIE GMP**

**SELF PRIMING TANKER PUMPS** 





GX390 13HP engine Flows to 1250 lpm Heads to 40m, solids to 20mm

- 3"& 4"
- · Heavy duty cast iron
- Flows to 2300 lpm
- · Heads to 55 m
- Open style impeller
- Front opening clean out port
- Self prime from 6 metres
- Honda petrol, Yanmar diese & hydraulic drive options
- · Silicon carbide mech seal/ alumina counterface with nitrile rubber seals standard
- Stainless steel wear plate
- Cast 316 stainless steel

#### Suits ...

- **Dust suppression**
- Water carts
- Livestock effluent pump out
- Industrial waste pump out
- Dewatering

Hydraulic drive compact installations, simple maintenance

3" B3XR-A/ST Hydraulic Requires 34cm<sup>3</sup>/rev, 100 bar Flows to 1.500 lpm

Heads to 31m, solids to 35mm

## **CORROSION RESISTANT**

**NIAL BRONZE & 316 CAST STAINLESS STEEL** 

- 2". 3"& 4"
- Heavy duty cast construction
- Big open impeller
- Self primes from 6 metres
- Replaceable suction cover
- NI AL (nickel aluminium) bronze & cast 316 stainless steel options for corrosive applications
- Close coupled to a heavy duty TEFC single or three phase electric motor IP rated
- pumps to 2.2kW Mech seals on bronze & stainless steel pumps... carbon mech seal/alumina

Cast iron foot mounting on

- counterface, nitrile rubber seal & 316 stainless steel casing
- Viton seals option



## Marine Applications ...

- Deck wash down
- Bilge pump out
- Salvage pump
- Marine air conditioning

#### Industrial Applications ... 316 cast stainless steel

- Aggressive water
- Sewage handling
- Acid & solvent pumping
- Industrial food waste
- Ag chemical transfer
- AdBlue® transfer



## HYDRAULIC DRIVE **MUD PUMPS FOR DRILLERS**

- 2" to 4"ports
- Heavy duty cast iron (Ni Al bronze option)
- Open, non-clog style impeller (stainless steel impeller options for abrasive applications)
- Front opening clean-out port
- Self-prime from 6 metres
- Hydraulic drive .. compact
- Silicon carbide mech seal/alumina counterface with nitrile rubber seals standard



2"B2KQ-A/B

Nial Bronze

316 cast stainless stee



#### AUSSIE SCUD ... THE PRO'S CHOICE

SLOW SPEED ♦ LONG LIFE ♦ AUSSIE BUILT

- 'Big Berty' Bertolini slow speed triplex pump
- Honda 13HP (GX390) or Yanmar diesel 10HP (L100)
- Stainless steel Scud frame
- **NEW flat free** tyres
- FREE ASP kit (Aussie Safety Protection)
- Detergent injection ... for faster cleaning
- Gearbox drive ... longer life
- 10m hose, pro gun & dual lance

4,000 psi, Scud 400 (6,485 psi EWP with turbo) 15 lpm flow ABBSS400/GX390 **Honda** recoil start

\$4.928 Yanmar diesel electric start ABBSS400/L100E \$9,600

3,000 psi Scud 350 (4,785 psi EWP with turbo) 15 lpm flow **Honda** recoil start ABBSS350/GX390 \$4,611 Yanmar diesel electric start ABBSS350/L100E \$9,182

2,600 psi Scud 351 (4,000 psi EWP with turbo) huge 21 lpm flow ABBSS351/GX390 \$4,939 **Honda** recoil start

Optional accessories ... MORE ACCESSORIES PAGES 14 & 15 Hose reel with 30m high pressure hose ADHR40100D \$988 A134SS/30MBPH SS hose reel with 30m hp hose \$1,606 Reel mounting bar (to mount reel to Scud frame) AHRBARSSUNI \$253 Honda versions Yanmar versions AHRPLATEL100SS \$253 ABB400LIFTBAR Lift bar (can't be used with hose reel) ... \$253

BLASTERS TO 500 bar (7,300 psi) Full range online ... Blaster Blitz

#### **HYDRAULIC DRIVE BLASTERS**

Mobile, flexible installations, trenchless excavation

\$304

\$3,980 SAVE \$185



#### 2,175 psi THY2715

13 lpm flow

CTN310-030

ABSS40-GT/GX390

Turbo lance to suit ....

27 lpm flow (Class A) Hydraulic requirements 1450 psi, 38 lpm BTHY2715HYD-KIT \$3.124

#### 4,300 psi TTL1330

13 lpm flow (Class A) Hydraulic requirements 2900 psi, 38.5 lpm BTTL1330/HYDKIT

#### 3,000 psi WHY1520

15 lpm flow (Class A) Hydraulic requirements 1160 psi, 38 lpm BWHY1520HYD-KIT **\$3,608** 

#### 4,000 psi TTL2028

20 lpm flow (Class A) Hydraulic requirements 2900 psi, 60 lpm BTTL2028/HYDKIT \$5,412

#### **HONDA STEAM CLEANERS**

**MELT AWAY GREASE & GRIME KILL GERMS, BACTERIA & VIRUSES** 

#### 4,000 PSI AUSSIE HEATWAVE

- 4,000 psi portable hot water pressure washer
- 12 volt, diesel fired burner
- Honda GX390 petrol engine
- Max temperature 130°C
- Spiralast coil with lifetime warranty
- Flat free tyres on steel wheels
- Stainless steel frame with integrated handle
- **Battery ordered separately**

HSM40004HG

\$12,300-Dec only \$11,900

#### **AUSSIE HYDROTEK HONDA PETROL**

#### **BRILLIANT DESIGN ... TOUGH ON GRIME**

- Heavy duty triplex pump with brass pump head
- Adjustable temperature up to 130°C, steam melts grease without using chemicals
- Water tight electrical box with battery (Battery ordered separately)
- Robust "Pro-tect" steel frame with built-in lifting eyes for transportation
- Stainless steel panels and boiler cover
- Two gun operation available on AF# versions (reduces flow to 10 lpm per gun)



#### **Applications**

- Plant cleaning
- Graffiti removal
- Grease & oil removal
- Livestock clean up
- Sanitising equipment
- Weed eradication without chemicals

**CLEAN FASTER** WITH STEAM!



#### Specifications

-1									
		Safety Class	Pressure	EWP with turbo	Flow	Max Temp	Engine	Pump	Nozzle size
COMMERC	IAL SE	<b>RIES</b> ι	ıp to 20 hrs p	er week, <b>12</b>	v low vol	<b>tage</b> burn	er		
HSS400051	Н	Α	4,000 psi (275 bar)	6,485 psi	18 lpm	130°C	Honda GX630	AR	045 (15°, 40°) 035 (25° steam
INDUSTRIA	INDUSTRIAL SERIES over 20 hrs per week, 110v burner with on-board generator								
HSC400051	HAF#	В	4,000 psi (280 bar)	6,485 psi	21 lpm	130°C	Honda GX630	Bertolini	025,035,045, 050 (all 15°)

#### **AUSSIF HYDROTFK MOBILE STEAMERS**

UMME

The Aussie Hydroteks are compact, high pressure, mobile steam cleaners with serious cleaning power. They are designed to perform heavy duty cleaning without needing any outside electrical power.

An invaluable tool for councils, property management companies, service companies, mechanics or anyone requiring a mobile cleaning solution for dirt, grease and grime.

#### **Key features**

- Industrial petrol/diesel engines
- Heavy duty triplex pump
- Rugged 'Pro-Tect-It' frame with stainless steel panels for corrosion resistance
- 12v or 110v low voltage diesel fired burner system
- Available skid mounted, trailer mounted
- Clean & capture system option
- Mine spec versions ... super tough

Full range online ... Blaster Blitz







#### **AUSSIE JETTER FREEBIES ....**

- √ 60m Redflex jetting hose
- √ FREE jetter nozzle box
- √ FREE wash-down gun kit
- √ FREE safety plate
- √ FREE protective glasses

#### **VIPER MINI REEL ... EXTENDS CONTROL**

Remote control of Jetter plus 60m sewer hose

3/16th hose ... AMINIREEL/WHOSE \$2,312 1/4"hose ... AMINIREELWH1/4" \$2,440 Stainless steel reel options available



#### **CLASS A JETTERS ... FAST, EFFECTIVE** NO OPERATOR RTO CERTIFICATION REQUIRED

COBRA A ... drains to 6"

4,000 psi, 20 lpm, Honda GX630 V twin e/start

Compact cube .... ABSSCOBRA-A-CUBE \$9,240

(limited stock) SAVE \$2,222

\$11,462

Trolley mount .... ABSSCOBRA-A

**NEW KING COBRA A DELUXE** (includes NEW stainless steel reel)

5,000 psi, 16 lpm, Honda GX630 V twin e/start

Compact cube .... ABSSCOBRAKC-A-MK3 \$12,098 Trolley mount .... ABSSCOBRAK-A-MK3 \$12,098

#### **CLASS B JETTERS FOR SPECIALISTS**

RTO CERTIFICATION REQUIRED

#### **NEW HONDA KING COBRA DELUXE**

(includes NEW stainless steel reel)

Honda GX690 V-twin e/start

5,000 psi Bertolini triplex pump, 23 lpm flow

Compact cube .... ABSSCOBRAKINGCUBEMK3 \$13,728 \$13,728

Trolley mount .... ABBCOBRAKINGMK3

NEW HONDA PYTHON DELUXE ... REAL WHACK, drains to 9"!

(includes NEW stainless steel reel)

Honda iGX800, high performance & high efficiency 4,200 psi, Bertolini triplex pump, massive 31 lpm flow

Trollev mount ... ABSSPYTHON-IGX

\$17.860

Trailer & skid mounts also available Full range online ... Blaster Blitz ........

#### MINI JETTER ... PORTABLE, ELECTRIC

Ideal for small drains & internal use. The single phase Aussie Black Box with 15m Super Worm sewer hose with drain cleaning nozzle is ready for action.

FKB8.15-MJ \$1,946



# **AUSSIE ELECTRIC BLASTERS**

POWERFUL · RELIABLE · 4 POLE



#### AUSSIE BLACK BOX ... **4 YEAR WARRANTY**

- 30 kilos of cleaning muscle
- 2,175 psi max pump pressure
- 3,400 psi effective working pressure with turbo lance
- Slow speed, 4 pole motor

Blaster with gun/turbo/hose kit FKB8.15 GREAT VALUE ... \$1,373 Optional trolley & hose reel available

#### **AUSSIE MONSOONS BULLET PROOF**

Powerful, industrial pressure washers for continuous cleaning applications.

- 4 pole heavy duty motor
- Stainless steel frame & flat free tyres

#### 2.000 PSI **MONSOON 140**

240V, 2.2kW 15 amp plug ABMONSS140 \$2,927

#### 3.000 PSI **MONSOON 200**

15 lpm flow 415V, 5.5kW ABMONSS200 \$3,848

4.300 PSI. **MONSOON 400** 

. 13 lpm flow . 415V, 7.5kW ABMONSS400

\$5,412



BLASTERS TO 500 bar (7,300 psi) Full range online ... Blaster Blitz

## **AUSSIE HOT WATER BLASTERS**

**MELT AWAY GREASE & GRIME, KILL GERMS, BACTERIA & VIRUSES** 

#### **SUPER INDY & ADMIRAL**

**HEAVY DUTY ELECTRIC STEAM CLEANERS** 

Melt away grease & oil, clean & sterilise with steam up to 130°C.

Packed with features, these powerful steam cleaners deliver a hygienic clean fast!

- Slow speed 4 pole
- **Heavy duty** triplex pump

- Stainless steel cover & steel chassis
- Low water cut out
- Micro-leak detection
- Mild steel coil with 2 year coil warranty (stainless steel coil option)
- Diesel fired burner with 18 litre fuel tank



#### **INDUSTRIAL DUTY ... SUPER INDY SERIES**

1,500 psi Super Indy 12 lpm flow, 240V, 2.2kW (15 amp) FS/INDDS1012MV3 \$7,043

3,000 psi Super Indy

16 lpm flow, 415V, 5.5kW FS/INDDS2016TV3 \$8,024

#### **SUPER HEAVY DUTY ... ADMIRAL SERIES**

#### 3,000 psi Admiral Mk 3

19 lpm flow, 415V, 6.6kW FHD191ADMIRAL \$9,346

#### **NEW 4,000 psi Admiral**

15 lpm flow, 415V, 6.6kW FHD275ADMIRAL \$10,528

#### **NEW AUSSIE SIZZLER HOT WASH ... TEMPS TO 80°C**

Single phase, 2.7kW

MMET

- 1,800 psi .... High efficiency triplex pump
- 4 pole slow speed motor with thermal cut-out
- Stainless steel cover & steel chassis
- Low maintenance boiler
- Diesel fired burner with 18 litre fuel tank

FS-D1310P4M **\$4,998 SAVE \$620** 

Optional protective frame optional (as shown) AFRAMES/SIZZLER





Loads more to 500 bar online ... Blaster Blitz

#### **AUSSIE 'REEL MATE' HOSE REEL KITS**

WORK SAFER ... REMOVE TRIP HAZARDS, EXTEND HOSE LIFE

**GREAT VALUE** ... Includes heavy duty steel or stainless steel hose reel, R2 double braid hp hose, whip hose & mount. Mount to machine frame, truck bed or wall ... IT'S EASY!

Model		Reel mate 3,500	Reel Mate 4,000	Stainless Steel 134 Reel
S/code		AD30001	ADHR40100D	A134SS//30MBPH
Pressure rating	psi	3,500 psi (240 bar)	4,000 psi (275 bar)	4,000 psi (275 bar)
Hose length	m	15	30	30
Hose type		R2 5/16"	R2 ¾"	Aussie BluePro R2 ¾"
Whip hose		0.25m	1.4m	1.3m
		\$651	\$988	\$1,606

Mounting bar for Scud 350, 351 & 400 p/n AHRBARSSUNI \$253

WORK SMARTER NOT HARDER!

HIGH PRESSURE ACCESSORIES

**DRAIN CLEANING KIT** CONVERT YOUR BLASTER INTO A JETTER

Clear blocked drains fast converting your pressure cleaner to a jetter!

Aussie Viper Mini Reel with 60m of super flexible 3/16th sewer hose & an Aussie Jetter Nozzle box & Safety Plate

**ADRAINKIT** \$3,722





#### **AUSSIE SPINNERS ... SLASH CLEANING TIMES FOR FLAT SURFACES UP TO 75%**

For fast, streak free cleaning choose an Aussie Spinner

Model	A. 15" Semi Pro	B. 20" Spinner	C. 22" Cyclone
S/code	FNA80166	AGPDFSC20	AGPDFSCS22Z
Max pressure	3,600 psi	4,000 psi (275 bar)	4,000 psi (275 bar)
Max temp	60°C	80°C	80°C
Max flow rate	11 lpm	30 lpm	30 lpm
Inlet with 90° swivel	1/4" QC plug	3/8" NPT-F	3/8" NPT-F
Cleaning speed	10m² per min	20m² per min	25m² per min
No of nozzles	2	2 x 020	3 x 020
Suits	Black Box, AB30	AB40 GT & Scud series	Scud series
	\$255	\$1,419	\$1,786

NOTE: for 15" Spinner 700mm lance sold separately FNA7103261 \$85



#### **DETERGENT FOAMER**

Spray detergents, degreasers disinfectants without chemicals going through the pump.

LS3 ...2,600 psi (180 bar) max permissible pressure 12 lpm, 60°C, 1 litre capacity

Inlet 1/4" BSP F Nozzle 1.25mm

MPA25152612 \$172 (requires coupling C1500.06 to fit to gun \$12)

#### **TELEWAND .. REACH FURTHER**

Accessories for smarter cleaning ..

4,000 psi (270 bar), 1/2" QC outlet Retracted length 2.3m Extends to 5.5m, 40 lpm, 90°C,

Commercial...


Fibreglass outer poles AGPDLTG18 \$484

Industrial ...

Aluminium outer poles AGPDCLTG18A \$570

**NB**: Requires

Quik Tip nozzle sold separately (C915 \_ \_ Q ... \$24)



**GRIT BLASTER** 

Permissible pressure 3,625 psi Tungsten carbide tip, 500mm zinc probe, 6m hose, 400mm lance with M22 coupling & 035 nozzle







# **AUSSIE CLEAN SMART** FASTER | SMARTER | SAFER

Loads more to 500 bar online ... Blaster Blitz

#### **AUSSIE TURBOMASTER TURBO LANCE**

Maximise the effective working pressure of the blaster using an Aussie Turbomaster turbo lance for faster cleaning of stubborn stains

**TURBOMASTER** 

Commercial series (220 bar)

3,200 psi, 60 lpm, EWP up to 4,500 psi

Inlet (lance) M22 Length 500mm Nozzle size: 030

Suits: AB30 & Black Box

M4042100004 **\$184** 

#### **TURBOMASTER 255**

500mm lance & head

3,700 psi (255 bar) 40 lpm, EWP up to 4,785 psi, Max temp 90°C

Inlet (lance) M22 x 1.5 M

Ideal for use with professional blasters up to 4.000 psi ie Scud & Monsoon series

CTN255-\$248 (insert nozzle size required)

#### **TURBOMASTER 400**

500mm lance & head

5,800 psi (400 bar) 40 lpm, EWP up to 8,500 psi, Max temp 90°C

Inlet (lance) M22 x 1.5 M

Suits all professional 4,000 psi & 5,000 psi blasters ie Scud & Monsoon series

CTN400-(insert nozzle size required)

3/8" R2 (double wire braid hose) to 5,800 psi (400 bar) with M22 swaged couplings. Suits both cold & hot water machines. Non marking hose, suits all brands of professional pressure cleaners

**AUSSIE BLUE-PRO** 

PROFESSIONAL HP HOSES

- 5,800 psi rated hose
- Max water temp 155°C
- Suit all Class A blasters to 4,000 psi
- M22 couplings crimped (4,000 psi rated)

AHW06M22X2X8 8m \$165 AHW06M22X2X10 10m \$205

Call for extra length hoses to 50m

### BERTOLINI TRIPLEX PUMPS

#### **BIG BERTIES ARE BEST!**

Top quality Italian triplex pumps designed for maximum performance & longevity.









. 10		<i>1</i> -					
		DIRECT DRIVE FOR EN	NGINE MOUNTING	HEAVY DUTY SLOW SPEED GEARBOX DRIVE			
Model		WBXG 3025	TMG 4035	TTL 1520	TTL 1330	TTL2028	
S/code		BWBXG3025	BTMG4035	BTTL1520	BTTL1330	BTTL2028	
Pump pressure	osi	3,000 (200 bar)	4,000 (280 bar)	3,045 (200 bar)	4,350 (300 bar)	4,000 (275 bar)	
Flow	pm	10	13	15	13	20	
Suits engine (or equivalent)		Honda GX200 ¾" keyed shaft	Honda GX390 1" keyed shaft	Honda GX390 1" keyed shaft		Honda GX630 1" keyed shaft	
Required HP		6.5HP	13HP		13 HP		
Pump speed	rpm	3450	0		1450		
Used on		Scud AB30	Scud AB40	Scud 350	Scud 400		
Interchanges with Interpum	пр	TT1511 C¾"	WW 964	WS 201			
Shaft diameter		Hollow ¾"	Hollow 1"		24mm		
Weight (kg)		6	10.8		14.2		
Pump only		\$1,040	\$1,262	\$1,944	\$2,246	\$2,335	
Pump kit *		\$1,286	\$1,549	\$2,099	\$2,515	\$2,595	

includes pump + unloader, thermal dump, safety valve (& gauge on slow speed pumps)

Bertolini pumps to 500 bar ... check out Blaster Blitz online

Gear box ... RTI 121 HP8-18 (B318870973) \$1,045



## **AUSSIE INDUSTRIAL WET/DRY VACS**

99.9% FILTRATION FOR A HEALTHIER CLEAN

Loads more to 500 bar online ... Blaster Blitz

- Impact resistant polypropylene barrel
- Unique Aussie Microweb ... 99.9% filtration, reusable filter, handles dust from limestone, biochemical, lead, sugar, cement, Gyprock, precious metals, pigments & fertilizers
- Professional accessory kit
- 7m durable power cable
- Heavy duty wheel kit
- European made







- . 1200 watt motor
- 70 I/s air flow
- . 32mm accessories
- 8kg

(24 volt option available)

VF13 **\$506** 



#### **DRUM VAC**

- 1200w x 3 motors
- 181 I/s air flow
- Water lift 2400mm
- 50mm & 90mm accessories

DRUMVAC **\$3,475** 



- 1200w x 3 motors
- 181 l/s air flow
- Water lift 2600mm
- 40mm accessories
- 31kg

VC73

\$960 **SAVE \$260** 



- 1200w x 3 motors
- 181 l/s air flow
- Water lift 2400mm 50mm & 90mm accessories

VC83

\$1,662

- Fits 200 litre steel drum (not supplied)

**Australian Pump Industries** 7 Gladstone Road, Castle Hill NSW 2154 aussiepumps.com.au | 02 8865 3500

All prices include GST & are recommended prices only. All prices include GST & are recommended prices only. Freight, insurance, pre-delivery & installation costs are excluded. Prices effective from 1/11/2022 but are subject to change without notice. All items have been included in good faith based on our knowledge or product availability at the time of publication. Australian Pump reserves the right to change specifications & prices without notice.

Contact your local Aussie Distributor

